



भारतीय मानक ब्यूरो
Bureau of Indian Standards
The National Standards Body of India

Address: Dehradun Branch Office- UCF Sadan,
Block-D, Ground Floor, Deep Nagar
Road, Vishnu Vihar, Dehradun,
Uttarakhand-248001
Phone: 7617777270, 7617777278
Fax: 01352665272
E-Mail: dhbo@bis.gov.in
Web: www.bis.org.in, www.manakonline.in

Our Ref:DHBO/CM/L-8300164313

Date:

Subject: Grant of BIS Product Certification Licence No. 8300164313 as per IS 12406:2021.

M/S. Archidpanel Industries Private Limited,
Sector-01,Plot No10,Sidcul,IIE,Sittarganj,
Distt: Udham Singh Nagar,
Uttarakhand-262405

Dear Madams(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:-Medium density fibre boards for general purpose - Specification

Grade/Class/Type/Variety

Name of Product: MEDIUM DENSITY FIBRE BOARDS FOR GENERAL PURPOSE; Grade: Grade I & II;
Formaldehyde Class: E1 & E2; Thickness (mm): Thickness range 7.5 to 9mm, 12 to 30 mm (excluding 12mm)

As per IS 12406:2021.

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.
2. The number assigned to this Licence is CM/L- 8300164313 which has been made operative from 27-05-2024 and is valid upto 26-05-2025. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) & (3) of Paragraph 5 of scheme I of Schedule II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual license fee of Rs. 1000.00 and the marking fee for use of standard mark as per Annexure-I of Scheme I of BIS (Conformity assessment)

Regulations 2018 is payable by you with effect from 27-05-2024 for the period of validity of the license in advance.

3. Minimum marking fee stipulated in Annexure -I of scheme I of BIS (Conformity Assessment) Regulations 2018 is payable by you regardless whether you actually mark your product or not with the Standard Mark.
Our Receipt No. AA83PC2024000302 dated **10-05-2024** for the license fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

5. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the license at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the license expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.

6. The Scheme of Inspection and Testing as specified by BIS will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.

7. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions are used as far as possible.

8. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your license. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your license, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed / obliterated.

9. This license is granted for your Manufacturing Premises situated at **“Sector-01,Plot No10,Sidcul,IIE,Sittarganj,Distt: Udham Singh Nagar,Uttarakhand-262405”** Privileges under the license shall not be exercised by any other firm company/factory etc. This license is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by us in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the license.

10. The license document in original is enclosed.

11. The license has been granted to you on the explicit condition that you shall mark the entire production under the scope of license with BIS Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of license with BIS Standard Mark and maintain conformity of the product to the relevant Indian Standards. In addition, you shall display the BIS product certification license held by you prominently at your premises and also mention the BIS product certification license held by you in your commercial advertisements.

Thanking You,



(Saurabh Tiwari)
HEAD

भारतीय मानक ब्यूरो
Bureau of Indian Standards
मानक चिन्ह के उपयोग के लिए अनुज्ञप्ति
Licence for the use of Standard Mark

लाइसेंस सं.सीएम/एल - 8300164313

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर

मैसर्स. आर्चिडपैनल इंडस्ट्रीज प्राइवेट लिमिटेड,
सेक्टर-01, प्लॉट नंबर 10, सिडकुल, आईआईई, सितारगंज,
जिला: उधम सिंह नगर,
उत्तराखंड-262405

को (जिसे इसमें आगे अनुज्ञप्तिधारी कहा गया है) इसकी प्रथम अनुसूची के पहले कालम में दिखाए गए मानक चिन्ह का उपयोग करने को अनुज्ञप्ति (लाइसेंस) प्रदान करता है। इस मानक चिन्ह का उपयोग ऐसी वस्तु पर/प्रसंस्करण के संबंध में किया जाएगा जिसका उल्लेख इसकी उक्त अनुसूची के तीसरे कॉलम में किया गया है। यह वस्तु/प्रसंस्करण उक्त अनुसूची के दूसरे कालम में उल्लिखित समय समय पर संबंधित भारतीय मानक के अनुसार विनिर्मित होगी/के अनुरूप होगा।

Licence No. CM/L –8300164313

By virtue of the power conferred on it by the Bureau of Indian Standards Act, 2016 (11 of 2016) the Bureau hereby grants to

M/s. Archidpanel Industries Private Limited,
Sector-01,Plot No10,Sidcul,IIE,Sittarganj,
Distt: Udham Singh Nagar,
Uttarakhand-262405

(hereinafter called the Licensee) this licence to use the Standard Mark set out in the first column of the Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी है। यह अनुज्ञप्ति पहली अनुसूची में यथा-उल्लिखित नाम, कारखाने के पते और अवधि के लिए विधिमान्य होगा और इसमें स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।


2. This Licence carries obligations on part of the licensee as conditions of licence which are given in Annexure attached herewith. This licence shall be valid for the name, factory address and period as mentioned in the schedule and may be renewed as specified in the scheme-I.

अनुसूची
(लाइसेंस सं. सीएम/एल - 8300164313)
Schedule
(Licence No.CM/L- 8300164313)

नाम: मैसर्स. आर्चिडपैनल इंडस्ट्रीज प्राइवेट लिमिटेड,
कारखाने का पता: सेक्टर-01, प्लॉट नंबर 10, सिडकुल, आईआईई, सितारगंज, जिला: उधम सिंह नगर, उत्तराखंड-262405
वैधता: 27/05/2024 से 26/05/2025

Name: M/s. Archidpanel Industries Private Limited,
Factory Address: Sector-01, Plot No10, Sidcul, IIE, Sittarganj, Distt: Udham Singh Nagar, Uttarakhand-262405

Validity from: 27/05/2024 to 26/05/2025

मानक चिन्ह Standard Mark	भारतीय मानक Indian Standard	अनुज्ञप्ति का विषय क्षेत्र Scope of Licence	चिन्हांकन फीस Marking Fee
(1)	(2)	(3)	(4)
IS 12406  CM/L- 8300164313	आई.एस. 12406:2021. मिडियम डेंसिटी फाइबर बोर्ड्स फॉर जनरल पर्पस-(स्पेसिफिकेशन) IS 12406:2021 Medium density fibre boards for general purpose - Specification)	नाम ऑफ प्रोडक्ट: मिडियम डेंसिटी फाइबर बोर्ड्स फॉर जनरल पर्पस: ग्रेड: ग्रेड I एंड II; फॉर्मलडिहाइड क्लास: ई1 एंड ई2; थिकनेस(एमएम): थिकनेस रेंज 7.5 टू 9एमएम, 12 टू 30 एमएम (एक्सक्लूडिंग 12एमएम) Name of product: medium density fibre boards for general purpose; grade: grade i & ii; formaldehyde class: e1 & e2; thickness (mm): thickness range 7.5 to 9mm, 12 to 30 mm (excluding 12mm)	एक वर्ष की प्रचलन अवधि के दौरान न्यूनतम मुहरांकन फीस रु. 37000.0/- के साथ सभी इकाइयों के लिए रु.17.3 फॉर 2500 यूनिट रु.8.7 पर यूनिट्स फॉर रिमेनिंग आल यूनिट्स रु.4.5 पर यूनिट्स फॉर आल यूनिट्स प्रति इकाई। एक प्रचलन वर्ष के लिए न्यूनतम चिन्हांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। 1 इकाई - 1 टन Rs. 17.3 per unit for 2500 units. Rs. 8.7 per unit for remaining all units Rs 4.5 per unit for all units With a Minimum marking fee of Rs.37000.0/- during an operative of one year. 1 Unit= 1 Ton Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s).

आज वर्ष 2024 के अगस्त की
Signed, Sealed and Dated this

23

तारीख को हस्ताक्षरित, मुहरबंद किया गया।
day of August month of Year 2024.

भारतीय मानक ब्यूरो के लिए
For Bureau of Indian Standards



सौरभ तिवारी

प्रमुख (देहरादून शाखा कार्यालय)

Annexure
(Licence No.CM/L- 8300164313)
Conditions of the licence


- (1) The design of Standard Mark shall be identical to the facsimile given in the licence.
- (2) The photographic enlargement or reduction of the Standard Mark may also be used, unless otherwise specified by the Bureau.
- (3) The licensee shall be responsible for the conformity of the goods, article, process, system or service to the Indian Standard in relation to which Standard Mark is used or applied.
- (4) The licensee shall not use the Standard Mark in relation to goods, articles, process, system or service which are non –conforming or outside the scope of the licence.
- (5) If goods and articles in relation to which a Standard Mark has been used do not conform to the requirements of the relevant standard, the Bureau may direct the licensee or his representative to recall such non-conforming goods.
- (6) The Standard Mark shall not be used or applied in relation to any goods, article, process, system or service during deferment or suspension, or, after expiry or cancellation of the licence.
- (7) The licensee shall comply with the provisions of the conformity assessment scheme under which licence is granted, including labelling and marking requirements.
- (8) The licensee shall maintain records as specified by the Bureau from time to time.
- (9) The licensee shall provide the Bureau all assistance in connection with carrying out inspection or audit at its premises.
- (10) The licensee shall provide information relating to production and use or applying of Standard Mark as and when it is required by the Bureau.
- (11) If the licence is granted to use or apply Standard Mark on goods or articles, the licensee shall provide the list of consignees, distributors, dealers or retailers to whom goods or articles with Standard Mark is supplied.
- (12) The licence shall not be transferred to any person without approval of the Bureau.
- (13) If a complaint regarding quality of any goods, article, process, system or service bearing Standard Mark is established, the Bureau may direct the licensee or his representative to repair or replace or reprocess the standard marked goods and articles.
- (14) The Bureau shall have the right to amend any of the conditions of licence by giving a notice of not less than one month to the licensee.

अनुबंध -II

[योजना-I का अनुच्छेद 6 का उप-अनुच्छेद (1) देखें]

मानक मुहर

मानक मुहर हेतु मोनोग्राम का डिजाइन



आकृति 1 मानक चिह्न हेतु मोनोग्राम

मानक चिह्न के मोनोग्राम के चित्रात्मक निरूपण में आकृति 1 में दर्शाई गई शैली में सटीक आरेखण और तालिका 1 में दिया गया सापेक्ष अनुपात

तालिका 1 मोनोग्राम के अधिमानित आयाम
सभी आयाम मिलीमीटर में

A	B	a	R	r	अक्षरों के आकार
2.5	1.9	0.2	0.4	-	1.0 मि.मि.
5	3.8	0.4	0.8	0.1	1.0मि.मि.
10	7.5	0.7	1.7	0.2	2.0मि.मि.
20	15	1.5	3.3	0.5	3.0मि.मि.
40	30	2.9	6.7	1.0	4.0मि.मि.
80	60	5.9	13.4	1.9	6.0मि.मि.
160	120	11.7	26.7	3.8	10.0मि.मि.
320	240	23.4	53.4	7.6	16.0मि.मि.